



Over 4,400

METRIC

FASTENERS



KANEBRIDGE
CORPORATION

CAP SCREWS & BOLTS

DIN 603 Carriage Bolt, A2 SS

DIN 603 Carriage Bolt, A4 SS

DIN 931 Class 8.8 Hex Cap Screw, Steel Zinc

DIN 931 Class 10.9 Hex Cap Screw, Plain Steel

DIN 933 Class 8.8 Hex Cap Screw, Steel Zinc

DIN 933 Class 10.9 Hex Cap Screw, Plain Steel

DIN 6921 Flange Screw

- A2 Stainless
- Class 8.8 RoHS Zinc
- Class 8.8 Plain
- Class 10.9 Black Phosphate
- Class 10.9 Plain

DIN 6921 Serrated Flange Screw

- A2 Stainless
- Class 8.8 Zinc

MACHINE SCREWS

DIN 965 Flat Phillips (Type H)

- 18-8 Stainless
- A4 Stainless
- Black Oxide over 18-8 SS
- Steel Zinc
- Steel Black Oxide

DIN 7985 Six-Lobe Pan Steel, RoHS Zinc

DIN 7985A Pan Phillips (Type H)

- 18-8 SS
- A4 Stainless
- Black Oxide over 18-8 SS
- Steel Zinc
- Steel Black Oxide

DIN 7985A Pan Pozi (Type Z)

- 18-8 SS
- Steel Zinc

ISO 7045 Pan Six-Lobe

- A2 SS
- Steel Black Oxide
- Steel RoHS Zinc

ISO 14581 Flat Six-Lobe

- Class 8.8 Steel RoHS Zinc
- 18-8 Stainless

ISO 14583 Pan Six-Lobe

- Class 8.8 Steel RoHS Zinc
- A2 Stainless
- A4 Stainless

JIS-B1111 Small Head Pan Phillips

- Steel Zinc
- A2 Stainless

JIS-B 1111 Truss Phillips A2 Stainless

ELECTRONIC HARDWARE

Self-Clinching Nut, Steel Zinc

Flush Head Self-Clinching Studs, Steel Zinc

Hex Male-Female Standoffs

- 4.5mm Aluminum
- 6 mm Aluminum
- 4.5 mm 18-8 SS
- 6 mm 18-8 SS

RIVET NUTS

Hex Body Thin Head, Steel Zinc Yellow

Round Ribbed Body

- Small Head, Steel Zinc Yellow
- Large Flange, Steel Zinc Yellow

Round Body Large Flange

- Aluminum
- Steel Zinc Yellow

THREAD-ROLLING SCREWS

DIN 7500-C Pan Type Z Recess (1A)

- Steel Zinc & Waxed
- Steel RoHS Zinc Yellow & Waxed
- Steel Black Zinc & Waxed
- 18-8 SS, Passivized & Waxed

DIN 7500-CE Pan Six-Lobe Recess

- 18-8 SS, Passivized & Waxed
- Steel Zinc & Waxed

DIN 7500~D Hex Washer Unslotted

- 18-8 SS, Passivized & Waxed
- Steel Zinc & Waxed
- Steel Zinc Black & Waxed

DIN 7500-M Flat Six-Lobe

- 18-8 SS, Passivized & Waxed

DIN 7500-M Flat Type Z Recess (1A)

- Steel Zinc & Waxed
- 18-8 SS, Passivized & Waxed

Alternatives To Plastite® / Plas-Fix® 45

- Flat Six-Lobe, Steel RoHS Zinc
- Pan Six-Lobe, Steel RoHS Zinc
- Pan Pozi, Steel RoHS Zinc

THREAD-FORMING SCREWS

Alternatives to EJOT® Type-PT®, A2 Stainless

- Flat Phillips
- Pan Phillips
- Flat Six-Lobe
- Pan Six-Lobe
- Round Washer Six-Lobe

Alternatives to EJOT® Type-PT®, Steel Zinc

- Flat Phillips
- Pan Phillips
- Flat Six-Lobe
- Pan Six-Lobe
- Round Washer Six-Lobe

SEMS

DIN 7985A Pan Phillips

- Flat Washer to DIN 6902A, Steel Zinc
- Internal Tooth, A2 SS
- Spring Lock Washer, 18-8 SS
- Spring Lock Washer, Steel Zinc

ISO 7045 Pan Phillips

- Conical Washer, Stainless
- Conical Washer, Steel Zinc
- External Tooth L/W, Stainless
- External Tooth L/W, Steel Black Oxide
- External Tooth L/W, Steel Zinc
- Internal Tooth L/W, Stainless
- Internal Tooth L/W, Steel Zinc
- Helical Split L/W, A2 Stainless
- Helical Split L/W, Steel Zinc

JIS-B1187 Hex Phillips Split Lock/Flat Washer

- Steel Zinc Yellow
- Steel RoHS Zinc Yellow

JIS-B1188 Pan Phillips

- Split L/W, Steel Zinc
- Split Lock/Flat Washer, A2 Stainless
- Split Lock/Flat Washer, Steel Zinc
- Split Lock/Flat Washer, Steel Zinc Yellow
- Split Lock/Flat Washer, Steel RoHS Zinc Yellow
- External Tooth, Steel Zinc Yellow
- External Tooth, Steel RoHS Zinc Yellow
- Internal Tooth L/W, Steel RoHS Zinc Yellow

SPRING PINS

ISO 8752, Steel Black

NUTS

Cage Nuts, Steel Zinc

Coupling, Type-9070 Round, A2 Stainless

DIN 439 B Hex Jam

- Class A2 Stainless
- Steel Zinc

DIN 466 Knurled Thumb, A2 Stainless

DIN 557 Square, A2 Stainless

DIN 562 Thin Square, A2 Stainless

DIN 917 Low-Type Hex Cap, A2 Stainless

DIN 934 Hex

- Classes 6 & 8, Style 1, Steel Zinc
- Class 10, Style 1, Steel Zinc
- Class 10, Style 1, Plain Steel
- Class 50, 18-8 SS
- Class 50, A4 SS
- Class 50, Black Oxide over 18-8

DIN 980 Prevailing Torque Top Lock, A2 Stainless

DIN 982 Nylon Insert High Hex Stop

- A2 Stainless
- A4 Stainless

DIN 985 Nylon Insert Stop

- 18-8 Stainless
- A4 Stainless
- Class 8, Steel Zinc
- Class 8, Steel Black Oxide

DIN 986 Nylon Insert Dome Cap Stop, A2 Stainless

DIN 1587 Acorn Cap

- A2 Stainless
- A4 Stainless

DIN 6334 Hex Coupling

- A2 Stainless
- A4 Stainless

DIN 6923 Serrated Flange

- Class 70 A2 Stainless
- Class 8 Steel Zinc

DIN 6923 Flange

- 18-8 & 316 Stainless
- Class 8 Steel RoHS Zinc
- Class 8 Steel RoHS Zinc Yellow
- Class 8 Steel RoHS Zinc Yellow, Serrated
- Class 10 Steel RoHS Zinc & Zinc Yellow Baked

DIN 6926 Nylon Insert Flange

- A2 Stainless
- A2 Stainless, Serrated
- Class 8 Steel Zinc

DIN 6927 Flange Top Lock

- Class 10 Steel Black Phosphate & Oil

ISO 4032 Class A2-70 Stainless

K-Lock Nuts

- A2 Stainless
- Class 8 Steel Zinc

Prevailing Torque Lock Nuts, Class 10 Steel

- DIN934, A2 Class 50 SS
- DIN980V, Cad & Wax
- ASME B18.16.3M, Cad & Wax

Wing Nuts, Cold Forged, Steel Zinc

Wing Nuts, Type-315 American-Style

- A2 Stainless
- A4 Stainless

WELD NUTS

Offset Hole, Single Projection

Center Hole, Multiple Projection

DIN 928 Square

- A2 SS
- Steel Plain

DIN 929 Hex

- A2 SS
- A4 SS
- Steel Plain

WASHERS

DIN 125A Standard Flat

- 18-8 SS
- Black Oxide over 18-8 SS
- Steel Zinc

DIN 127B Split Lock

- 18-8 SS
- Black Oxide over 18-8 SS
- Steel Zinc
- Steel Thermal Black

DIN 128 Curved Spring Lock

- A2 Stainless
- A4 Stainless

DIN 433 Small Flat, Steel Zinc

DIN 6797A External Tooth Lock

- A2 Stainless
- Steel Black Oxide
- Steel Zinc

DIN 6797J Internal Tooth Lock

- A2 Stainless
- Steel Black Oxide
- Steel Zinc

DIN 6798 Serrated Ext Tooth Lock, A2 Stainless

DIN 7980 High Collar Split Lock

- A2 Stainless
- Steel Plain
- Steel Zinc

DIN 9021 Fender

- A2 Stainless
- A4 Stainless
- Steel Zinc

Finishing, Countersunk

- A2 Stainless
- A4 Stainless

Serrated Conical Spring Lock, A2 Stainless

SOCKETS (SIX-LOBE & HEX)

ISO 7380 Six-Lobe Button Head

- Class 10.9 Steel Zinc
- A2 Stainless

HEX SOCKETS (BLUE DEVIL®—ALLOY)

Socket Head Cap Screws

Flat Head Cap Screws

Button Head Cap Screws

Socket Set Screws—Cup Point

Hex Wrenches—Short Arm

WOOD-WORKING SCREWS

European Drawer Screws—Flat Head

- Phillips, Steel Zinc
- Phillips, Steel Nickel
- Pozi, Steel Nickel
- Square Recess, Steel Zinc
- Square Recess, Steel Nickel

WING SCREWS

Light Series Cold Forged American-Type, A2 SS

RETAINING RINGS

DIN 471 External Ring, Steel Black Phosphate

DIN 472 Internal Ring, Steel Black Phosphate

DIN 6799 E-Ring, Steel Black Phosphate

- Serrated

DIN Standard	ISO Standard	JIS Standard	Bossard Standard		Category Descriptions
			Steel Zinc (Unless Noted)	Stainless (Class Noted)	
13	68				Internal Threads, Class 6H
13	898-1				External Threads, Class 6g
13	R1501				Internal Threads, Class 6H
84	1207		330	650 (A2) 651 (A4)	Machine Screws, Slotted Cheese Head
85	1580		344	652 (A2) 653 (A4)	Machine Screws, Slotted Pan Head
125A	7089		715	670 (A2) 671 (A4)	Flat Washers, Standard
126	7091		724		Flat Washers, Wider I.D.
127B			762	672 (A2) 673 (A4)	Split Lockwashers
128			769	674 (A2) 8856 (A4)	Curved Spring Lockwashers
267	4759/1				Tolerance Values for Metric Fasteners
315			208		Malleable Cast Wing Nuts
433	7092		726	1414 (A2) 6 (A4)	Flat Washers, Small O.D.
439B	4035		124	630 (A2) 631 (A4)	Hex Jam Nuts
466			215	10904 (A1)	Knurled Thumb Nuts
471			818 (black)	682 (martensitic)	External Retaining Rings for Shafts
472			822 (black)	683 (martensitic)	Internal Retaining Rings for Bores
557			147	10769 (A2)	Square Nuts
562			145	3525 (A2)	Thin Square Nuts
603	8677	B1171	30401	645 (A2) 31107 (A4)	Carriage Bolts, Regular Square Neck
603	8678	B1171			Carriage Bolts, Short Neck
911	2936		1169*		Hex Keys
912	4762		8**	611 (A2) 613 (A4)	Socket Head Cap Screws, Partially Threaded
			7**	610 (A2) 612 (A4)	Socket Head Cap Screws, Fully Threaded

* Hardened, Plain Steel
** Class 12.9 Steel Black (Plain)

DIN Standard	ISO Standard	JIS Standard	Bossard Standard		Category Descriptions
			Steel Zinc (Unless Noted)	Stainless (Class Noted)	
913	4026		24*	617 (A2) 4723 (A4)	Socket Set Screws - Flat Point
914	4027		25*	618 (A2) 33032 (A4)	Socket Set Screws - Cone Point
915	4028		26*	619 (A2)	Socket Set Screws - Dog Point
916	4029		27*	621 (A2) 4721 (A4)	Socket Set Screws - Cup Point
917			154 (Cl 6 ZP)	13244 (A2) 634 (A4)	Hex Cap Nut, Low Type
929			193 (plain)	31 (A2) 10766 (A4)	Hex Weld Nuts with 3 Projections
931	4014		55 (8.8 plain) 57 (8.8 ZP) 72 (10.9 plain)	623 (A2) 625 (A4)	Hex Bolts, Partial Thread
933	4017		56 (8.8 ZP) 71 (10.9 plain)	622 (A2) 624 (A4)	Hex Cap Screws, Full Thread
934	4032		109 (Cl 6 ZP) 117 (Cl 8 ZP) 121 (Cl 10 plain)	5713 (A2) 2586 (A4)	Hex Nuts, Style 1, Classes 6, 8 (some sizes), 10 (some sizes)--Coarse
934K			1364		K-Lock Nuts, Class 8
963	2009		357	654 (A2) 655 (A4)	Machine Screws, Slotted Flat Head
964	2010		368	656 (A2) 657 (A4)	Machine Screws, Slotted Oval Head
965	7046		388 (Phillips)	661 (A2 Phillips)	Machine Screws, Phillips Flat Head
966	7047		392	78 (A2)	Machine Screws, Phillips Oval Head
970	4032				Hex Nuts, Style 1, Classes 6, 8 & 10
980V	7719		40036 (Cl 10 ZP)	5242 (A2)	All Metal Lock Nuts
982	7041		164 (Cl 8 ZP)	20739 (A2) 2079 (A4)	Nylon Insert Lock Nuts, Heavy Pattern
985	7040		163 (Cl 8 ZP)	637 (A2) 1722 (A4)	Nylon Insert Lock Nuts, Regular Pattern
986			167 (Cl 6/8 ZP)		Prevailing Torque Domed Hex Cap Nuts
1587			150 (Cl 6 ZP)	635 (A2) 1721 (A4)	Domed Hex Cap Nuts

DIN Standard	ISO Standard	JIS Standard	Bossard Standard		Category Descriptions
			Steel Zinc (Unless Noted)	Stainless (Class Noted)	
3155					Cold Formed Wing Nuts, Class 5
6334					Hex Coupling Nuts
6797A		B1255	789	2842 (A2)	External Tooth Lockwashers
6797J		B1255	790	2843 (A2)	Internal Tooth Lockwashers
6798A			781	675 (A2)	Serrated External Tooth Lockwashers
6798V		B1255	30718		Countersunk External Tooth Lockwashers
6799			809 (black phos)	679 (martensitic)	E-Rings for shafts
6921		B1189	41200 (Cl 8.8 ZP) 20170 (Cl 8.8 ZP) •		Flange Bolts
6923	4161	B1190	41187 (Cl 8 ZP) 1973 (Cl 8 ZY) 30312 (Cl 8 ZP) •	14476 (A2) 11207 (A4) •	Flange Nuts
6926	7043		6783		Prevailing Torque Hex Flange Lock Nuts
6999D		B1255			Combination External-Internal Tooth Lockwashers
7971C	7049		994	695 (A2)	Slotted Tapping Screws - Pan Head
7972C	1482		990	693 (A2)	Slotted Tapping Screws - Flat Head
7973C	1483		991		Slotted Tapping Screws - Oval Head
7976C	1479		2707		Slotted Tapping Screws - Hex Head
7981C	7049		994	695 (A2)	Phillips Tapping Screws - Hex Head
7982C	7050		995	696 (A2)	Phillips Tapping Screws - Flat Head
7983C	7051		996	697 (A2)	Phillips Tapping Screws - Oval Head
7985	7045		384	660 (A2)	Machine Screws, Phillips Pan Head
7985Z	~7045		3334 (ZP) 30502 (Z Black)	81882 (A2) 3311 (A4)	Machine Screws, Pozi (Type Z) Pan Head
7991	10632		20 (Cl 10.9 plain)	616 (A2)	Flat Socket Cap Screws
9021	7093		729	1356 (A2) 1684 (A4)	Fender Washers, Large O.D.
	7379		1359 (Cl 12.9)		Socket Shoulder Screws

The **KANEBRIDGE** ADVANTAGE



Over 43,000 Items

Everything you need from one place
Kanebridge is a master distributor with over 43,000 items in inventory, including almost 11,000 stainless steel and over **4,400 Metric fasteners**.



Same-Day Shipping

Nobody's Faster.
All orders placed by 5pm can ship the same day when using UPS. Emergency orders are ready within one hour. Airfreight orders placed by 8pm EST (5pm PST) can ship same day (based on stock availability in our California warehouse).



Fastener Specifications Guide

Your fastener questions answered!
Kanebridge's newest 6th edition of its *Fastener Specifications Guide* is available from all 3 of our branches. This hard cover reference volume is the most comprehensive & up-to-date collection of fastener specifications Kanebridge has ever compiled. The *Specification Guide* is also accessible at www.kanebridge.com.



99% Service Level

Don't wait for what you need now.
99% of the items we list are available from stock every day from one of our three warehouses located coast-to-coast: New Jersey, Illinois and California.



Drop Shipping

Use us as your extra warehouse.
Kanebridge can ship orders directly to your customer with a packing list & shipping label that identify you as the supplier. You can also use our Custom Label service to further simplify your supply chain.



Order By Credit Card

Instant Convenience
We accept Visa, MasterCard, Discover and American Express for new sales orders and outstanding balances.



Free Manufacturers' Certifications

Quality authenticated
Chemical & Physical certifications are available on all thru-hardened parts as well as all items made to military specifications. We keep all certifications archived and easily accessible. Call us or download the appropriate certifications directly from our website.



No Fault Return Policy

Peace of Mind
We accept returns of full cartons for any reason. There is no restock charge when items are returned within 30 days, without any alterations and accompanied by a return authorization. Parts returned after 30 days are subject to a 20% restock fee; after 90 days returns may not be accepted. Returns should be in their original boxes and must not be mingled. Thru-hardened or military-grade fasteners will not be accepted unless returned in their original box(es).



Traceability

Pinpoint Accuracy
Lot Control is maintained on all items in our inventory.



Custom Labeling

Material Handling made easier
Streamline your receiving operations by letting Kanebridge affix custom labels to each box you order. Include all info you need: part number, description, lot number & country of origin in alphanumeric and/or bar code formats

- **Online Cross-Refs to Popular Metric Part Numbers**
- **A2 & A4 Stainless**
- **Steel Zinc & Steel Black Oxide**



**KANEBRIDGE
CORPORATION**
New Jersey · Illinois · California



(800) 222-9221



(201) 337-2301



sales@kanebridge.com



www.kanebridge.com